

DANNER

MANUFACTURING, INC.

2011
NEW
PRODUCTS

PONDMASTER® **ProLine**™ **Supreme**® **HAMPTON**™
WATER GARDENS

COVER-CARE™ **MAINSTREAM** **The Fountain Pump**™



THE FOUNTAIN PUMP MAGNETIC DRIVE SUBMERSIBLE PUMPS

Designed as replacement pumps for small to medium size fountains and statuary.

FEATURES

- Energy-Efficient Magnetic Drive
- For Submersible Use
- Variable Flow Control
- 1 Year Warranty
- 6' Power Cord with Grounded Plug

70 GPH PUMP - UPC 01703

- Maximum Flow: 70 GPH
- Maximum Pumping Height: 2'
- Includes 1/4" and 1/2" Tubing Adaptors



93 GPH PUMP - UPC 01707

- Maximum Flow: 93 GPH
- Maximum Pumping Height: 2.5'
- Includes 1/4" and 1/2" Tubing Adaptors



120 GPH PUMP - UPC 01713

- Maximum Flow: 120 GPH
- Maximum Pumping Height: 3'
- Includes 1/4" and 1/2" Tubing Adaptors



200 GPH PUMP - UPC 01717

- Maximum Flow: 200 GPH
- Maximum Pumping Height: 6.5'
- Includes 1/4" and 1/2" Tubing Adaptors



290 GPH PUMP - UPC 01723

- Maximum Flow: 290 GPH
- Maximum Pumping Height: 6.5'
- Includes 1/2", 5/8" and 3/4" Tubing Adaptors



400 GPH PUMP - UPC 01727

- Maximum Flow: 400 GPH
- Maximum Pumping Height: 8.5'
- Includes 1/2", 5/8" and 3/4" Tubing Adaptors



530 GPH PUMP - UPC 01733

- Maximum Flow: 530 GPH
- Maximum Pumping Height: 9'
- Includes 1/2", 5/8" and 3/4" Tubing Adaptors



800 GPH PUMP - UPC 01737

- Maximum Flow: 800 GPH
- Maximum Pumping Height: 12'
- Includes 1/2", 5/8" and 3/4" Tubing Adaptors

THE FOUNTAIN PUMP FLOOR AND COUNTER DISPLAYS

Pre-packed displays take the guesswork out of ordering.



FEATURES

- Triple-tier Floor or Convenient Counter Top Displays
- Factory Selected Assortment
- Eye-catching Display Header
- Refill From Open Stock Anytime

3 TIER FLOOR DISPLAY - UPC 22780

Top Tier Includes

- 9 - 70 GPH Pumps, UPC 01703
- 9 - 200 GPH Pumps, UPC 01717

Middle Tier Includes

- 6 - 93 GPH Pumps, UPC 01707
- 6 - 120 GPH Pumps, UPC 01713

Bottom Tier Includes

- 4 - 290 GPH Pumps, UPC 01723
- 4 - 400 GPH Pumps, UPC 01727

COUNTER TOP DISPLAY - UPC 22770

Includes

- 9 - 70 GPH Pumps, UPC 01703
- 9 - 200 GPH Pumps, UPC 01717



COVER-CARE AUTOMATIC POOL COVER PUMP

FEATURES

- Sensor Detects 2" Water Level and Turns Pump On and Off Automatically
- 25' Power Cord
- UL Listed to US Safety Standards
- Completely Submersible
- Easy Maintenance, Only One Moving Part
- Hooks Up to Any Garden Hose
- Reusable Debris Filter Included
- 1 YEAR WARRANTY

AUTOMATIC POOL COVER PUMP - UPC 02530

Max. Output	360 GPH
Max Pump Height	8'
Watts	30
Cord Length	25'



PROLINE SKIMMER PUMP WITH HY-DRIVE TECHNOLOGY

Continuous duty pump designed for use inside a pond skimmer to move large volumes of water silently and efficiently through filtration systems, a waterfall, stream or fountain. Its compact size allows it to fit in virtually any skimmer. Available in four capacities, 1400, 2550, 5100 or 6600 GPH.

FEATURES

- Designed to Move Large Volumes of Water
- Silent and Efficient
- High Efficiency Vortex Impeller
- Unique Upright Design, Specifically for Pond Skimmer Use
- Rigid Pre-Filter Stabilizes Pump while Protecting it from Large Debris
- 1-1/2" Male Outlet and 1-1/2" Elbow Included
- FREE - Pump Bag Included for Extra Pump Protection

1400 GPH SKIMMER PUMP - UPC 20350

Max. Flow Rate	1400 GPH
Max. Pumping Height	22 Feet
Current	1.3 A/150 Watts

2550 GPH SKIMMER PUMP - UPC 20355

Max. Flow Rate	2550 GPH
Max. Pumping Height	11.5 Feet
Current	1.3 A/147 Watts

5100 GPH SKIMMER PUMP - UPC 20360

Max. Flow Rate	5100 GPH
Max. Pumping Height	30 Feet
Current	3.6 A/439 Watts

6600 GPH SKIMMER PUMP - UPC 20365

Max. Flow Rate	6600 GPH
Max. Pumping Height	30.5 Feet
Current	4.9 A/593 Watts



PROLINE PRO SKIMMER

10" PRO SKIMMER - UPC 38062

FEATURES

- Weir Opening: 10"
- Dimensions: 19-1/4" L x 28-1/4" W x 23-3/4" H
- Max. Pump Flow: 10,000 GPH
- Includes Filter Mat, Debris Net and UniSeals®
- Faux Rock Cover Included
- With 1-1/2" Spinweld and Threaded Elbow for Adjustable Overflow
- Includes 2" UniSeals with 1/2" Spinweld for Optional Autofill (Not Included)



PROLINE PRO FILTER AND FALLS

14" PRO FILTER AND FALLS - UPC 37060

FEATURES

- Waterfall Width: 14" Spillway
- Dimensions: 24-3/4" L x 23" W x 21-3/4" H
- Max. Pump Flow: 3500 GPH
- Inlet: Two 2" Spinwelds
- Removable Planting Lid to Easily Hide Filter and Falls
- Includes Two Filter Mats and 24" x 36" Media Bag (Media Sold Separately)



PROLINE EXTERNAL PUMPS

These external pumps are available in three popular sizes, designed to pump large volumes of water.

FEATURES

- EPP-4100 External Pump has a Built in Debris Basket for Easy Installation
- EPP-1950 and EPP-2500 External Pumps Adapt Easily to a Universal Fit Debris Basket (Sold Separately)

EPP-1950 EXTERNAL PUMP - UPC 02782

Max. Flow Rate	1950 GPH
Max. Pumping Height	20 Feet
Current	2.2 A/255 Watts

EPP-2500 EXTERNAL PUMP - UPC 02784

Max. Flow Rate	2500 GPH
Max. Pumping Height	30 Feet
Current	3.8 A/380 Watts

EPP-4100 EXTERNAL PUMP - UPC 02786

Max. Flow Rate	4100 GPH
Max. Pumping Height	45 Feet
Current	8.8 A/875 Watts

UNIVERSAL FIT DEBRIS BASKET FOR EXTERNAL PUMPS - UPC 12966



PROLINE POND KITS

PROLINE POND KIT - UPC 05280

ONE BOX KIT INCLUDES:

- Pondmaster 4850 HY-Drive
- 1/8" Mesh Polypropylene Pump Bag
- ProLine Pro5000 Skimmer
- ProLine Pro5000 Filter&Falls
- BioMatrix Biological Filter Media and Bag
- ProLine Quick Dis/Connect
- 2" x 25' Black PVC Flex Tubing
- All Fittings, Stainless Steel Hardware and All Sealants



PROLINE WATERFALL KIT - UPC 05285

ONE BOX KIT INCLUDES:

- Pondmaster 4850 HY-Drive
- 1/8" Mesh Polypropylene Pump Bag
- ProLine Pro4800 Pump Vault
- Auto Fill with 1/2" MPT, 3/4" GHT connections
- ProLine Pro3000 Waterfall Box
- 2" x 25' Reinforced Black Kink-Free Tubing
- All Fittings, Stainless Steel Hardware and All Sealants



PONDMASTER WATERFALL KIT - UPC 05290

ONE BOX KIT INCLUDES:

- Pondmaster MDWP 2000 Waterfall Pump
- ProLine Pro2000 Mini-Vault
- ProLine Pro2000 Waterfall Box
- 1-1/2" x 25' Reinforced Black Kink-Free Tubing
- All Fittings, Stainless Steel Hardware and Teflon Tape



PROLINE SKIMMER PUMP PRE-FILTERS

These rigid pre-filters can be used as intake filters for existing pumps or as a replacement for skimmer pump pre-filters.

PROLINE REPLACEMENT PRE-FILTER - UPC 12960

For use with all ProLine HYDrive skimmer pumps with a 1.5" MPT intake

PROLINE RIGID PRE-FILTER FOR PUMPS - UPC 12965

For use with any Pumps with a 2" MPT intake



PROLINE SKIMMER UVS AND SKIMMER UV PUMP KITS

Now you can add UV protection to any skimmer. These Compact UVs and UV Pump Kits, which combine skimmer UVs with perfectly paired skimmer pumps, are designed to fit even the smallest of Skimmers while providing UV clarification to your pond. Included fittings adapt to create virtually limitless configurations.

FEATURES

- Extremely Compact Footprint Fits in the Smallest of Skimmer Chambers
- All Sizes are Fitted with 1-1/2" MPT Inlet and Outlet to Adapt Easily to Most 1-1/2" Pumps
- Included Diverter Valve Regulates Water Flow thru UV
- Includes 2 Couplings, Rotating Union and O Rings

10 WATT SKIMMER UV - UPC 02915

20 WATT SKIMMER UV - UPC 02925

40 WATT SKIMMER UV - UPC 02945

10 WATT SKIMMER UV KIT UPC 20510

Includes a 1400 GPH Skimmer Pump

20 WATT SKIMMER UV KIT - UPC 20520

Includes a 2550 GPH Skimmer Pump

40 WATT SKIMMER UV KIT - UPC 20540

Includes a 5100 GPH Skimmer Pump



02915

02925

02945



20510



20520



20540

Pre-production Units Shown, Actual Units May Vary

PONDMASTER AIR DIFFUSERS

Unique material allows full airflow at higher pressures. Available in two sizes, a 6" inch straight diffuser that works with the Pondmaster AP-20 and AP-40 air pumps and a 7" diameter ring diffuser (18" total length) that works with Pondmaster AP-40, AP-60 and AP-100 air pumps.

6" STRAIGHT AIR DIFFUSER - UPC 14570

- 16 In² of Active Surface Area.
- Recommended Tubing Sizes: 1/2" or 5/8"

7" DIAMETER RING AIR DIFFUSER - UPC 14580

- 18" Total Length
- 48 In² of active surface area.
- Recommended Tubing Sizes: 3/4" or 1"

AIR DIFFUSER KIT - UPC 14575

Includes 6" Straight Diffuser and 20 Feet of 5/8" Tubing to fit Pondmaster AP-20 and AP-40 Air Pumps



PONDMASTER COMPACT NETS

Our Compact Pond Nets for all your water gardening needs!

In addition to the general purpose nets, our nets have also been specifically designed for surface skimming as well as shallower nets used for delicate handling of prized koi and other specimen fish.

FEATURES

- Heavy Duty Aluminum Construction
- Soft, Fish-Safe Nylon Netting
- Sure-Grip Handle
- Convenient String Loop at End of Handle
- Heavily Padded Rims protect Fish and Nets from Damage

COMPACT SKIMMER NET - UPC 02144

COMPACT ALL PURPOSE NET - UPC 02145

COMPACT KOI NET - UPC 02146

COMPACT NET DISPLAY - UPC 25023

Includes 6 each of Compact Skimmer Net, Compact All Purpose Net and Compact Koi Net

TELESCOPING NET DISPLAY - UPC 25021

Includes 6 each of Telescoping Skimmer Net, Telescoping All Purpose Net and Telescoping Koi Net



PONDMASTER WATER BASINS


Designed specifically for recirculating statuary and fountains. These water basins are easily hidden and help create dynamic water displays while easily concealing the pump and water reservoir.

30" WATER BASIN - UPC 38025


36" WATER BASIN - UPC 38035

47" WATER BASIN - UPC 38030

**OPTIONAL POT FEET STABILIZERS
FOR USE WITH THE 36" BASIN - UPC 18135**



Shown with Stabilizers Attached



HAMPTON WATER GARDENS 210 GPH POND PUMP

Designed Specifically for Small to Medium Size Ponds and Statuary.

210 GPH POND & WATERFALL PUMP - UPC 80432

FEATURES

- Maximum Flow: 225 GPH
- Maximum Pumping Height: 6.0'
- Power: 115V, 60Hz
- 15' Power Cord with Grounded Plug
- Intake: 1/2" Threaded*
- Discharge: 1/2" Threaded**

* Intake includes flow control. Threaded intakes have the option of in-line use.

** Barbs included for easy connection to flexible tubing.



HAMPTON WATER GARDENS FOUNTAINHEADS

Individually poly-bagged fountainheads available for all Hampton Water Garden pumps. Can be used as a retro-fit for existing pumps or replacement for kits.

BELL FOUNTAINHEAD - ITEM# 83015

- Includes Bell Fountainhead with Stem and Flow Control
- Fits HWG 160 Kit thru HWG 600 Kit and Pumps HWG 175 thru HWG 600

FLEUR DE LIS FOUNTAINHEAD - ITEM# 83017

- Includes Fleur de Lis Fountainhead with Stem and Flow Control
- Fits HWG 160 Kit thru HWG 600 Kit and Pumps HWG 175 thru HWG 600

FLEUR DE LIS FOUNTAINHEAD - ITEM# 83020

- Includes Fleur de Lis Fountainhead with Stem and Flow Control
- Fits HWG 1000 Kit thru HWG 1650 Kit and Pumps HWG 1000 thru HWG 1650

BELL FOUNTAINHEAD - ITEM# 83022

- Includes Bell Fountainhead with Stem and Flow Control
- Fits HWG 1000 Kit thru HWG 1650 Kit and Pumps HWG 1000 thru HWG 1650

FLEUR DE LIS FOUNTAINHEAD - ITEM# 83030

- Includes Large Fleur de Lis Fountainhead with Stem and Flow Control
- Fits HWG 2175 Pump



HAMPTON WATER GARDENS SUBMERSIBLE HALOGEN POND LIGHT WITH TRANSFORMER

20 WATT SUBMERSIBLE POND LIGHT WITH TRANSFORMER - UPC 85055

FEATURES

- Complete with 12 Volt Transformer
- Adjustable Light with 16' of Power Cord
- High Brilliance 20 Watt Halogen Bulb
- Low Voltage for Extra Safety
- 4 Interchangeable Colored Discs
- Waterproof Seals for Safe-Underwater Operation
- Limited 1 Year Warranty
- Low Voltage Lighting Transformer listed to US and Canadian UL Standards



HAMPTON WATER GARDENS UV CLARIFIERS

9 WATT UV CLARIFIER - UPC 85110

18 WATT UV CLARIFIER - UPC 85120

FEATURES

- Unique Design Protects Internal Glass Tube from Damage
- Innovative Spiral Design Prolongs Water Exposure to the UV Light Maximizing effectiveness
- Indicator Light Confirms Unit is On and Operating
- Available in a 9 Watt and 18 Watt
- For Indoor and Outdoor Use
- Suitable for Both Pond and Aquarium



HAMPTON 400 GARDEN POND FILTER

ADD A PUMP FOR A COMPLETE POND FILTER THAT'S DESIGNED FOR EASE OF USE SUITABLE FOR PONDS UP TO 400 GALLONS

TWO FOAM FILTERS mechanically and biologically filter the water. They are easily rinsed or changed and less time consuming than many other filters of this kind.

FEATURES

- For Use with Pumps up to 500 GPH
- Low Profile Unobtrusive Filter Rests on Pond Bottom
- Easy Snap in Filter Cartridge for Quick Filter Replacement
- Quick Disconnect for Easy Removal from Pump Sources
- Versatile, Can be used with Many Submersible Pumps

HAMPTON 400 GARDEN POND FILTER - UPC 80205



HAMPTON PF SERIES PRESSURE FILTERS

IDEAL FOR SMALL TO MEDIUM WATER GARDENS, BARREL & CONTAINER PONDS
CAN ALSO BE USED AS A TRICKLE FILTER FOR SMALL WATERFALLS

QUICK SHUT OFF - EASILY DISCONNECT THE INLET AND OUTLET FOR EASIER FILTER MAINTENANCE

FEATURES

- **QUICK SHUT OFF - EASILY DISCONNECT THE INLET AND OUTLET FOR EASIER FILTER MAINTENANCE**
- Large Capacity Housing and Reusable Biological and Mechanical Filtering Material Helps Maintain a Healthy Environment for Your Pond Fish and Aquatic Plants
- Biological Media Offers Tremendous Surface Area for Beneficial Bacterial Growth – Never Needs Replacing
- Reusable Foam Filter Pad Provides Effective Mechanical Filtration
- Heavy Duty Weather-Resistant ABS Plastic Housing Can Be Buried for Inconspicuous Installation
- Maximum Efficiency and Minimum Power Consumption when used with Pondmaster Magnetic Drive Pumps
- Ideal for Small to Medium Water Gardens, Barrel and Container Ponds
- Can also be Used as a Trickle Filter for Small Waterfalls
- Available UV Clarifier Models Help Reduce Free Floating Algae in Pond Water
- Designed to Work with Most Pond Pumps
- **MAX PUMP SIZE: 500 GPH**
- **TUBING SIZE: INLET 3/4" ID - OUTLET 3/4" ID (ABOVE ITEMS SOLD SEPARATELY)**



PF SERIES 225 - UPC 84525
225 Gal. Capacity with UV Light

PF SERIES 225 - UPC 84535
225 Gal. Capacity without UV Light

PF SERIES 450 - UPC 84505
450 Gal. Capacity with UV Light

PF SERIES 450 - UPC 84515
450 Gal. Capacity without UV Light

HAMPTON WATER GARDENS POND LINER

8' X 12' 20 MIL PVC POND LINER - UPC 84010



SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE
DANNER MANUFACTURING, INC.

Islandia, New York 11749-1489 | 631.234.5261
©2010 Danner Mfg. Inc. | Visit our web site at www.dannermfg.com