

FOUNTAINHEADS

Individually poly-bagged fountainheads available for all Hampton Water Garden pumps. Can be used as a retro-fit for existing pumps or replacement for kits.

BELL FOUNTAINHEAD - ITEM# 83015

- Includes Bell Fountainhead with Stem and Flow Control
- Fits HWG 160 Kit thru HWG 600 Kit and Pumps HWG 175 thru HWG 600

FLEUR DE LIS FOUNTAINHEAD - ITEM# 83017

- Includes Fleur de Lis Fountainhead with Stem and Flow Control
- Fits HWG 160 Kit thru HWG 600 Kit and Pumps HWG 175 thru HWG 600

FLEUR DE LIS FOUNTAINHEAD - ITEM# 83020

- Includes Fleur de Lis Fountainhead with Stem and Flow Control
- Fits HWG 1000 Kit thru HWG 1650 Kit and Pumps HWG 1000 thru HWG 1650

BELL FOUNTAINHEAD - ITEM# 83022

- Includes Bell Fountainhead with Stem and Flow Control
- Fits HWG 1000 Kit thru HWG 1650 Kit and Pumps HWG 1000 thru HWG 1650

FLUER DE LIS FOUNTAINHEAD - ITEM# 83030

- Includes Large Fleur de Lis Fountainhead with Stem and Flow Control
- Fits HWG 2175 Pump



HAMPTON WATER GARDEN PUMP SPECIFICATIONS

MODEL	MAX. OUTPUT		MAX. PUMP HEIGHT		WATTS
	GPH	Liters	Feet	Meters	
HWG 35	35	130	1.5	.45	5
HWG 55	55	210	2.0	.6	5.75
HWG 75	75	285	2.5	.7	5.75
HWG 110	130	495	4.0	1.2	10
HWG 150	160	605	5.5	1.7	13
HWG 160	160	605	4.0	1.2	10.5
HWG 175	160	605	4.0	1.2	10.5
HWG 210	225	855	6.0	1.8	19
HWG 300	290	1095	6.5	1.9	17
HWG 400	396	1500	6.5	1.9	20
HWG 460	500	1895	6.75	2.1	45
HWG 600	590	2235	7.5	2.3	40
HWG 1000	1000	3785	9.0	2.7	70
HWG 1350	1340	5075	13.5	4.1	125
HWG 1650	1630	6170	12.5	3.8	145
HWG 2175	2160	8175	16.5	5.0	226

HAMPTONTM
WATER GARDENS

By Danner Manufacturing, Inc

Islandia, New York 11749-1489

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

HWGCA0310

HAMPTONTM
WATER GARDENS

By Danner Manufacturing, Inc.



2010
UTILITY PUMPS | PUMP KITS | FOUNTAINHEADS

STATUARY PUMPS



The Best of the Best. We have carefully reviewed our entire utility pump line to create the Hampton Water Garden™ collection of rugged, economical, proven pumps. This collection is specifically designed for small- to medium-size ponds, statuary, and aquarium applications. Built to run steady and quiet, they will never intrude on the tranquility of any water feature or home aquarium.

FEATURES FOR STATUARY PUMPS

- Perfect Replacement Pump for Table Top Fountains and Small Statuary
- Energy-Efficient Magnetic Drive

- Variable Flow Control
- 1 Year Warranty

HAMPTON 35 - ITEM# 80405

Designed Specifically for Table Top Fountains and Small Statuary

- Maximum Flow: 35 GPH
- Maximum Pumping Height: 1.5'
- Intake: Screened
- Discharge: 1/2" and 3/8" Male Slip Fitting
- Power: 115V, 60Hz
- 6' Power Cord



HAMPTON 55 - ITEM# 80410

Designed Specifically for Table Top Fountains and Small Statuary

- Maximum Flow: 55 GPH
- Maximum Pumping Height: 2.0'
- Intake: Screened
- Discharge: 1/2" and 3/8" Male Slip Fitting
- Power: 115V, 60Hz
- 6' Power Cord

HAMPTON 75 - ITEM# 80415

Designed Specifically for Table Top Fountains and Small Statuary

- Maximum Flow: 75 GPH
- Maximum Pumping Height: 2.5'
- Intake: Screened
- Discharge: 1/2" and 3/8" Male Slip Fitting
- Power: 115V, 60Hz
- 6' Power Cord



UTILITY PUMP/FOUNTAINHEAD KITS

HAMPTON 460 KIT - ITEM# 82430

- Maximum Flow: 500 GPH
- Maximum Pumping Height: 6.75'
- Power: 115V, 60Hz
- Barbed Adaptors Included for Inline Use
- Includes Bell, Fleur de Lis and Double Fleur de Lis Fountainheads



HAMPTON 600 KIT - ITEM# 82435

- Maximum Flow: 590 GPH
- Maximum Pumping Height: 7.5'
- Power: 115V, 60Hz
- Barbed Adaptors Included for Inline Use
- Includes Bell, Fleur de Lis and Double Fleur de Lis Fountainheads



HAMPTON 1000 KIT - ITEM# 82445

- Maximum Flow: 1000 GPH
- Maximum Pumping Height: 9.0'
- Power: 115V, 60Hz
- Barbed Adaptors Included for Inline Use
- Includes Bell, Fleur de Lis, Double Fleur de Lis and Bubbler Fountainheads



HAMPTON 1650 KIT - ITEM# 82455

- Maximum Flow: 1630 GPH
- Maximum Pumping Height: 12.5'
- Power: 115V, 60Hz
- Barbed Adaptors Included for Inline Use
- Includes Bell, Fleur de Lis, Double Fleur de Lis and Bubbler Fountainheads



SUBMERSIBLE & INLINE UTILITY PUMPS

HAMPTON 300 - ITEM# 80435

Designed Specifically for Small to Medium Size Ponds and Statuary

- Maximum Flow: 290 GPH
- Maximum Pumping Height: 6.5'
- Power: 115V, 60Hz
- 15' Power Cord with Ground Plug
- Intake: 1/2" Threaded*
- Discharge: 1/2" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.



HAMPTON 400 - ITEM# 80440

Designed Specifically for Small to Medium Size Ponds and Statuary

- Maximum Flow: 396 GPH
- Maximum Pumping Height: 6.5'
- Power: 115V, 60Hz
- 15' Power Cord with Ground Plug
- Intake: 1/2" Threaded*
- Discharge: 1/2" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.



HAMPTON 600 - ITEM# 80445

Designed Specifically for Small to Medium Size Ponds and Statuary

- Maximum Flow: 590 GPH
- Maximum Pumping Height: 7.5'
- Power: 115V, 60Hz
- 15' Power Cord with Ground Plug
- Intake: 1/2" Threaded*
- Discharge: 1/2" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.



HAMPTON 1000 - ITEM# 80450

Designed Specifically for Small to Medium Size Ponds and Statuary

- Maximum Flow: 1000 GPH
- Maximum Pumping Height: 9.0'
- Power: 115V, 60Hz
- 15' Power Cord with Ground Plug
- Intake: 1" Threaded*
- Discharge: 3/4" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.



SUBMERSIBLE & INLINE UTILITY PUMPS

HAMPTON 1350 - ITEM# 80455

Designed Specifically for Medium to Large Size Ponds and Statuary

- Maximum Flow: 1340 GPH
- Maximum Pumping Height: 13.5'
- Power: 115V, 60Hz
- 15' Power Cord with Ground Plug
- Intake: 1" Threaded*
- Discharge: 3/4" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.



HAMPTON 1650 - ITEM# 80460

Designed Specifically for Medium to Large Size Ponds and Statuary

- Maximum Flow: 1630 GPH
- Maximum Pumping Height: 12.5'
- Power: 115V, 60Hz
- 15' Power Cord with Ground Plug
- Intake: 1" Threaded*
- Discharge: 3/4" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.



HAMPTON 2175 - ITEM# 80465

Designed Specifically for Medium to Large Size Ponds and Statuary

- Maximum Flow: 2160 GPH
- Maximum Pumping Height: 16.5'
- Power: 115V, 60Hz
- 15' Power Cord with Ground Plug
- Intake: 1" Threaded*
- Discharge: 1" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.



UTILITY PUMP/FOUNTAINHEAD KITS

Fountainhead Pump Kits Add a New Dimension to Any Water Feature. We've paired 7 of our most popular size pumps with variable flow control fountainheads to give homeowners an opportunity to create an entirely different mood in their pond or container. From a modest 160 GPH to a healthy 1630 GPH, these reliable Hampton Water Garden kits will work well with any small- to medium-size installation.

FEATURES

- Energy-Efficient Magnetic Drive
- 15' Power Cord with Grounded Plug
- For Inline or Submersible Use
- Variable Flow Control
- Debris-Reducing Pre-Filter
- Fish Safe
- 1 Year Warranty

HAMPTON 160 KIT - ITEM# 82410

- Maximum Flow: 160 GPH
- Maximum Pumping Height: 4.0'
- Power: 115V, 60Hz
- Barbed Adaptors Included for Inline Use
- Includes Bell and Fleur de Lis Fountainheads



Bell Shape



Fleur de Lis



HAMPTON 210 KIT - ITEM# 82415

- Maximum Flow: 225 GPH
- Maximum Pumping Height: 6.0'
- Power: 115V, 60Hz
- Barbed Adaptors Included for Inline Use
- Includes Bell and Fleur de Lis Fountainheads



Bell Shape



Fleur de Lis



HAMPTON 400 KIT - ITEM# 82425

- Maximum Flow: 396 GPH
- Maximum Pumping Height: 6.5'
- Power: 115V, 60Hz
- Barbed Adaptors Included for Inline Use
- Includes Bell and Fleur de Lis Fountainheads



Bell Shape



Fleur de Lis



STATUARY PUMPS

HAMPTON 110 - ITEM# 80420

Designed Specifically for Table Top Fountains and Small Statuary

- Maximum Flow: 130 GPH
- Maximum Pumping Height: 4.0'
- Intake: Screened
- Discharge: 1/2" and 3/8" Male Slip Fitting
- Power: 115V, 60Hz
- 6' Power Cord



HAMPTON 150 - ITEM# 80425

Designed Specifically for Table Top Fountains and Small Statuary

- Maximum Flow: 160 GPH
- Maximum Pumping Height: 5.5'
- Intake: Screened
- Discharge: 1/2" and 3/8" Male Slip Fitting
- Power: 115V, 60Hz
- 6' Power Cord



SUBMERSIBLE & INLINE UTILITY PUMPS

FEATURES

- Energy-Efficient Magnetic Drive
- For Inline or Submersible Use
- Variable Flow Control
- Debris-Reducing Pre-Filter
- Fish Safe
- 1 Year Warranty

HAMPTON 175 - ITEM# 80430

Designed Specifically for Small to Medium Size Ponds and Statuary

- Maximum Flow: 160 GPH
- Maximum Pumping Height: 4.0'
- Power: 115V, 60Hz
- 15' Power Cord with Grounded Plug
- Intake: 1/2" Threaded*
- Discharge: 3/8" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.



HAMPTON 210 - ITEM# 80432

Designed Specifically for Small to Medium Size Ponds and Statuary

- Maximum Flow: 225 GPH
- Maximum Pumping Height: 6.0'
- Power: 115V, 60Hz
- 15' Power Cord with Grounded Plug
- Intake: 1/2" Threaded*
- Discharge: 1/2" Threaded**

*Intake includes flow control. Threaded intakes have the option of in-line use.

**Barbs included for easy connection to flexible tubing.

